


INSTALLATION INSTRUCTIONS

Troldtekt® lighting – Wave
Installation of spotlight in Troldtekt® acoustic ceilings

SPOTLIGHT



INSTALLATION DIAGRAM FOR SPOTLIGHT



INSPECTION ON RECEIPT

Check that the following components are complete and undamaged on receipt. Please inform the supplier immediately in case of visible defects or non-conformities on the armatures. We cannot accept claims regarding visible defects or non-conformities after installation of the armatures in the ceiling.

COMPONENTS

Glass	Clear glass



Reflector	Anodised




Armature housing	Aluminium, Ø 75




Light source	25W IRC bulb



INSTALLATION



1: The Troldtekt panels are delivered with lamp cutouts.



2: Install the transformer and then push the armature in place in the Troldtekt panel using pins.



3: Click the reflector in place in the armature.



4: Insert the halogen bulb.



5: Click the glass in place to be retained by the three clips.



6: Spotlight installed in Troldtekt ceiling.

DESIGN

Wave is designed by the Danish architectural company CUBO Arkitekter A/S. The series is characterised by its wavy glass that offers exciting design and optimum light distribution without blinding.



LABELLING

CE marking: All lamps with a voltage exceeding 50 V must be CE marked to be sold in Denmark or other EU countries. The CE marking is the manufacturer's way of stating that the individual product meets the general safety requirements of relevant CE marking directives.



F mark: The armature is designed for direct installation on a regular combustible base.



Class 1: All lamps in the Troldtekt lighting series are Class 1. There are no marking requirements for Class 1 lamps.

IP23: The IP marking indicates the degree of protection against dust and water penetrating the lamp.



MAINTENANCE

Cleaning: Glass and acrylic parts, armatures and reflector can be cleaned using a mild detergent solution at a water temperature of max. 60°C. Use a soft cloth for wiping.

NOTE: Remember to turn off the power when cleaning with water.

Avoid using detergents containing abrasives or solvents, as such products can damage the surface. Also avoid hard brushing or scrubbing.

FURTHER INFORMATION

Changes, errors and omissions excepted. You can always download the latest version of these installation instructions from www.troldtekt.com, where you will also find all our other Troldtekt installation instructions.